ALWAYS AHEAD®

0

551

55

ALTOZ

0

COMMERCIAL & MUNICIPAL GROUNDSKEEPING EQUIPMENT



YOU'RE BURNING DAYLIGHT. GET MORE OUT OF YOUR MOWER.

Altoz makes the mowers that help you make the most of your work day. We literally reinvented how you mow and in doing so, changed mowers forever. Our award-winning tracked machines handle slopes, wet turf and uneven terrain like nothing you've ever seen. When you're on an Altoz, you'll do more, go further.

See what's possible when you get on an Altoz.

INCREASED ROI SAFER, FASTER JOB COMPLETION MORE VERSATILE & MORE CAPABLE





THE GAME HAS CHANGED. HILLS, DITCHES AND WET AREAS ARE NOT ONLY REACHABLE—THEY'RE MOWABLE.

commission and a second

NERRE R

ALTOZ

TE,

ALTOZ ZERO-TURN MOWERS / ALTOZ COM

DO MORE. GO FURTHER."

STABILITY Unmatched slope mowing capabilities

TRACTION Maximum traction on wet ground **SAFETY** Mow safely where others can't go

PAYBACK

Expand mowable reach for a better, increased ROI

TRACKED MOWERS





TALL GRASS & UNRULY TERRAIN

Reclaim property and tame even the harshest terrain



SLOPES Mow slopes safely with high traction and stability



WET AREAS Low ground pressure and high traction for mowing around water features, ditches and low areas.

TRX > SERIES

The **TRX SERIES** offers the ultimate workhorse for the toughest, most challenging terrain and environments.

FOLDABLE

PROTECTION SYSTEM Our roll-over protection

system can be easily folded down to avoid low

hanging limbs.

TRX 766

TRX 766 i Finish Cut / TRX 766 i All-Terrain TRX 766 Finish Cut / TRX 766 All-Terrain

TRX 561

TRX 561 Aero Deck[™] Finish Cut

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, soft ground and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

TRX 354

TRX 354 Aero Deck[™] Finish Cut

Shown with All-terrain Deck and All-terrain Tracks QUICK SCAN For a full description of TRX model features and options visit Altoz.com/tracked-zero-turn-mowers/trx





TOUGH TRACKS TREAD LIGHTLY

The patented TRX rear axle torsion track system delivers maximum traction for stability and low ground pressure for minimal compaction.

ALTOZ

າງງາງງາງງາງງາງງາງງາງງາງງາງງາງງາງ

1:2

HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.



FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .315-inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



SMARTRAC[™] PRO

The all-new SmarTrac[™] Pro control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.

TORQFLEX™

The TRX's TorqFlex[™] front suspension and rear axle torsion suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.

TSX ► SERIES

The **TSX 561 i** makes easy work of the difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched sloped terrain mowing of an Altoz tracked mower system.



SHOCK-DAMPERED RIDER PLATFORM The low center of gravity platform allows ample room for foot positioning while side-mounted stands provide secure footing and increased control while mowing off-camber terrain.



TSX 561 i All-Terrain

TSX 561 i Aero Deck[™] Finish Cut



REAR AXLE TORSION SUSPENSION

Cast iron inner and outer idler wheels keep the track aligned. Double-sealed wheel bearings extend bearing life under harsh conditions.

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, soft ground and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

TOUGH TRACKS TREAD LIGHTLY

The patented rear axle torsion track system delivers maximum traction for stability and low ground pressure for minimal compaction.

Shown with All-terrain Deck and All-terrain Tracks

8 ALTOZ STAND-ON ZERO-TURN MOWERS / ALTOZ.COM

QUICK SCAN ----For a full description of TRX model features and options visit Altoz.com/tracked-zero-turn-mowers/tsx







HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is offset and constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.

ERGONOMIC **CONTROL CENTER**

Operator system and controls are designed atop the offset deck to allow secure comfort and clear sight lines. Plus an easy-on, easy-off low center of gravity chassis lets you safely reclaim steeper grades, soft spots and technical terrain.

ALTOZ

anternament

FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .270-inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



SMARTRAC[™] PRO

The all-new SmarTrac[™] Pro control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.



TORQFLEX[™]

The TSX's TorqFlex™ front suspension and rear axle torsion suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatique.



XC > SERIES

The powerful, high-performing **XC Series** delivers a premium cut you can be proud of.

XC

XC 610 Z XC 720 Zi

BUILT FOR SPEED

With dual-range Hydro-Gear 5400 high/low transmissions and a top transport speed of 19 mph, the Altoz XC series can get the job done...fast. HEAVY-DUTY CHASSIS Our C-channel frame is laser-cut and welded from heavy gauge steel for maximum strength and rigidity.

ALTOZ

POWER DECK LIFT

Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.

RIDER COMFORT

4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates seat and foot wells protect rider from ground vibrations.

12-way adjustable high-back suspension seat with arm rests and TorqFlex suspension work together to deliver the industry's smoothest ride.

FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .315-inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.

XP HD > SERIES

The **XP HD Series** is engineered for reliability and a precise cut, designed for people who rely on their equipment to make a living, and delivers nothing less than perfection.

XP HD

10

XP 540 HD / XP 610 HD / XP 610 HDi XP 660 HD / XP 720 HD

SMARTRAC[™] PRO

The SmarTrac[™] Pro control features a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.



ALTOZ ZERO-TURN MOWERS / ALTOZ.COM

a living, and delivers nothing less than perfection.

DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.

RIDER COMFORT

12-way adjustable high-back suspension seat with arm rests and TorqFlex suspension work together to deliver the industry's smoothest ride. QUICK SCAN ---> For a details on the Altoz wheeled mower options visit Altoz.com/zero-turn-mowers



-17

SPEEDS UP TO 19 MPH 14-GALLON FUEL CAPACITY ALL-DAY OPERATOR COMFORT

ALTOZ

2.2

Model	XP 540 HD	XP 610 HD	XP 610 HDi	XP 660 HD	XP 720 HD	XC 610 Z	XC 720 Zi	TRX 354 Finish Cut	TRX 561 Finish Cut	TRX 766 i Finish Cut	TRX 766 i All-terrain	TRX 766 Finish Cut	TRX 766 All-terrain	TSX 561 i Finish Cut	TSX 561 i All-terrain
Engine	27 hp Kawasaki FX	31 hp Kawasaki FX	29.5 hp Kawasaki FX EFI	31 hp Kawasaki FX	35 hp Kawasaki FX	31 hp Kawasaki FX	37 hp Vanguard EFI	24 hp Kawasaki FT	31 hp Kawasaki FX	37 hp Vanguard EFI	37 hp Vanguard EFI	35 hp Kawasaki FX	35 hp Kawasaki FX	29.5 hp Kawasaki FX EFI	29.5 hp Kawasaki FX EFI
Deck Width	54″	61″	61″	66″	72″	61″	72″	54″	61″	66″	66″	66″	66″	61″	61″
Transmission	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Parker TF 195cc Wheel Motors/ Hydro-Gear PR 16cc	Parker TF 195cc Wheel Motors/ Hydro-Gear PR 16cc
Rear Tire/Track Size	24″	24″	24″	24″	24″	26″	26″	11″×71″	11″×74″	11″×81″	11″×81″	11″×81″	11″×81″	11″×74″	1]″×74″
Max. Speed	11 mph	11 mph	11 mph	11 mph	11 mph	19 mph	19 mph	8 mph	9 mph	11 mph	11 mph	11 mph	11 mph	Up to 10 mph	Up to 10 mph
Front Suspension	_	_	_	_	_		TorqFlex Suspension (Standard)		TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)		TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)
Rear Suspension	_	_	_	_	_	_	_	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle
Weight	1330 lbs	1360 lbs	1360 lbs	1400 lbs	1415 lbs	1400 lbs	1500 lbs	1200 lbs	1540 lbs	1600 lbs	1600 lbs	1600 lbs	1600 lbs	1450 lbs	1450 lbs
Fuel Capacity	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons

QUICK SCAN → See the full lineup of available accessories at

Altoz.com/accessorie



SPREADER / UTILITY PLOW





ADD FUNCTIONALITY AND INCREASE PRODUCTIVITY WITH ALTOZ ACCESSORIES.

DO MORE. GO FURTHER."

Altoz tracked mowers continue to received critical acclaim from experts in the industry.









1-855-782-5869 Altoz, Inc. | 20502 160th Street | Greenbush, MN 56726 Tel. 1-218-782-5869 | Fax 1-218-782-5880

Your Local Altoz Dealer

©2021-2022 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, Aero Deck and SmarTrac Pro are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.



