


OUTDOOR
POWER
EQUIPMENT



Get on an Altoz.

Altoz innovation waits for no one and that's why we're always ahead. Our machines keep revolutionizing the industry, making your day safer, more productive and more comfortable. When you use an Altoz mower, you'll do more and go further.

Looking for a flawless, commercial-grade result?

Or the power and ability to operate where other equipment can't? Look no further than Altoz. Our wheeled mowers deliver a precise, professional cut. Our expertly engineered tracked mowers give you the ability to conquer the most technical terrains like slopes, lowlands and hills with unmatched operator comfort and style.

See what's possible when you get on an Altoz.



HIGH TRACTION - SUPERIOR CONTROL



TRX 766 i

The **TRX 766 SERIES** offers the ultimate workhorse for the toughest, most challenging terrain and environments.

conditions, even rough terrain and


sharp debris, with flat-free tires

and rear-mounted track system.



Available for TRX 766 models, TerraFlex commercial-grade tracks are made for customers who cut in demanding conditions. The tread pattern and steel-cased, vulcanized rubber tracks are designed for durability and flexibility. These tracks, combined with the torsion axle rear suspension, are engineered for traction, stability and a smooth ride in challenaing conditions.

TOUGH TRACKS TREAD LIGHTLY



The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction. 10" wide TerraFlex tracks are ideal for customers who cut in demanding conditions. The 11" wide All-Terrain tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.


▼ TRX COUNTER ROTATION RIGHT DECK SPINDLE

Accessory provides even grass dispersement using less horsepower and better fuel economy.



▼ TRX DECK WING EXTENSION

Perfect for under fence lines, shore lines, ditch banks, water retention ponds, solar fields and anywhere you need to get under or over. Ditch the string trimmers and reduce man hours, gain 25% more coverage than a 66" deck.





EXCLUSIVE DECK OPTIONS

Equipped with Altoz's exclusive 66" All-Terrain Deck for rough cutting or 66" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.



■ 66" ALL-TERRAIN DECK

The All-Terrain Deck is constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.



■ 66" FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



SEE OUR FULL LINE OF TRX MODELS

Not all features are available on all models. Check the specifications table or ask your dealer for details.

TORQFLEX™ SUSPENSION ▶

The TRX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.



TRX 561 i

Adjustable

12-way seat

The **TRX 561** *i* is an ideal solution for multi-acre homeowners, ranchers, golf courses, schools and lawn care professionals.



All-Terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

SMARTRAC PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



▼ DUAL FUEL TANKS

Two 7-gallon gas tanks mean fewer stops for refueling.

▼ TORQFLEX™ SUSPENSION TorqFlex front suspension delivers

lorql-lex front suspension delivers stability, a smooth ride and reduced operator fatigue.



Equipped with Altoz's exclusive 61" Finish Cut Aero Deck with adjustable baffles or All-Terrain Deck for rough cutting.

FLAT-FREE FRONT TIRES A

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.



The exclusive Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



Kawasaki[™] 4-stroke engines are available in 29.5 hp (TRX 561 i) and 24 hp (TRX 354).

With its standard Turf Tracks, the TRX 354 is ideal for multi-acre homeowners, outdoorsmen & farmers.

17RX 354



torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.







WET AREAS



TRACK OPTIONS

Standard Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. Optional All-terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach.

FINISH CUT AERO DECK™

Equipped with Altoz's exclusive 54" Finish Cut Aero Deck with adjustable baffles.

Combined with our rear torsion axle suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.



The Altoz Independent Front Suspension (IFS) smooths out rough terrain for superb comfort and control. Available as an accessory on TRX 354 models.

OUICK SCAN





COMPACT TRACKED TOOL CARRIER



SWITCH*

Whatever the task, Altoz Switch attachments connect quickly and easily.

DROP, SWAP & GO

The Altoz Switch delivers the stability and mobility of tracks and pairs it with the versatility and functionality of a broad range of interchangeable attachments. The Switch is fully capable of handling multiple tasks and terrain in any season



SPEED Hydrostatic transmissions with speeds up to 7 mph

- > TRACKS
 9" wide tracks
- ADJUSTABLE AXLE WIDTH 42" or 52"
- ► ENGINE 34.5 hp Kawasaki® FX820V EVO EFI

44" MATERIAL BUCKET ▲

The compact design ensures maneuverability in narrow spaces without sacrificing power or capacity, making it ideal for landscaping, construction and property maintenance projects.

SEE OUR FULL LINE OF SWITCH ATTACHMENTS & SPECS



Switch Accessories



44" MATERIAL PUSHER ▶

Engineered for durability and ease of use, it's the go-to solution for a wide range of tasks, making your job easier and more efficient.

■ SNOW BLOWER

Quickly and efficiently clear snow from sidewalks, driveways or anywhere else. 44" width, 2-stage, belt driven. Hydraulicallyadjustable chute rotation and electrically-adjustable chute angle.


36" PALLET FORKS ▶

A versatile attachment with the ability to move a wide range of materials and goods on construction sites, in warehouses, farms and landscaping projects easily and efficiently with 360-degree visibility.



STRAIGHT BLADE

Handle snowbound walkways and light aggregate in tight areas with ease. 50" blade width, 44" width angled. Hydraulic adjustment for angle, float feature. Cutting edge features adjustable trip tension.



■ 44" & 61" ALL-TERRAIN DECK

Power through rough terrain, tackle slopes, traverse roadsides and reclaim overgrown areas. 44" or 61" cutting width, 2 or 3-spindle counter rotating design, six swing blades forged and heat-treated for durability.



Choose a 4' wide spray pattern brine boom or an 8' wide spray pattern chemical boom—or both—to suit your needs. 25-gallon tank.



Make quick work of sidewalks and pathways, with precise coverage drop from 30" to 36" spread width. Pair with Snow Blower, V-Plow, Straight Blade or Power Angle Broom to complete two tasks at once.









TRACKED STAND-ON MOWERS



TSX 561 i

The **TSX 561 i**, takes on difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched steep terrain mowing capabilities of the Altoz track system.



TOUGH TRACKS TREAD LIGHTLY

All-Terrain Tracks are ideal for side hilling, low lands and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. The patented rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.









TRACK BENEFITS ▶

The TSX's tough tracks bridge over uneven terrain and provide a smooth, comfortable ride on rough ground.





■ POWERFUL ENGINE

29.5 hp Kawasaki FX 852cc EFI engine with integrated electronic throttle control powers through tough mowing conditions. EFI fuel management adjusts power to load, keeping blade tip speed constant and ground speed steady.

RESPONSIVE, SMOOTH TRANSMISSION

High-performance commercial Hydro-Gear® PR 16cc pumps and Parker® TF 195cc wheel motors deliver quick response to the rear Altoz track system and smooth control for cutting speeds up to 10 mph.

SMARTRAC PRO



The SmarTrac[™] Pro control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.

EXCLUSIVE DECK OPTIONS

Equipped with Altoz's exclusive 61" HV All-Terrain Deck for rough cutting or 61" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.

61" HV ALL-TERRAIN DECK ▶

The HV All-Terrain Deck is offset and constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects.

Our proprietary pivoting blades are forged and heat-treated for fixed obstacles and exceptional long-lasting sharpness.

61" FINISH CUT AERO DECK™ ►

Exclusive Finish Cut Aero Deck is .315" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.





Not all features are available on all models. Check the specifications table or ask your dealer for details.



SEE OUR **FULL LINE** OF TSX MODELS

SMOOTH RIDE ▶

The TSX's TorgFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, and a smooth ride. Additionally, an adjustable coil spring over shock suspension operator platform provides operator comfort.





WHEELED MOWERS



4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates the rider from ground vibrations. 12-way adjustable high-back suspension seat with arm rests and TorqFlexTM suspension work together to deliver the

> Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.



SmarTrac™

Monitoring System features a tachometer and resettable hour meter, maintenance reminders with alerts for low oil pressure and overheating.

TORQFLEX™ SUSPENSION

TorgFlex front suspension delivers stability, a smooth ride and reduced operator fatique.

FINISH CUT AERO DECK™

Our exclusive Aero Deck is .316" fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time. Available in 61" and 72" deck sizes.



The TorgFlex[™] suspension system alides over tough terrain and isolates chassis and rider from ground chatter for greater rider comfort.



With dual-range Hydro-Gear® 5400 high/low transmissions and a top transport speed of 19 mph, the Altoz XC series can get the job done...fast.

QUICK SCAN TO LEARN MORE





BUILT TO DO EVERYTHING

ROLL-OVER PROTECTION SYSTEM ▼

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

Adjustable 12-way seat

SMARTRAC PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



▶ DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.



DUAL GAS TANKS

14-gallon capacity for extended cutting times.

ANTI-SCALP WHEELS

Recessed and adjustable.

FINISH CUT AERO DECK™

Our exclusive Aero Deck is .316" fabricated steel and fully adjustable baffles for a professional-grade cut every time. Available in 54", 61", 66" & 72" widths.



Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.

QUICK SCANTO LEARN MORE



XP610 RDi

Adjustable

12-way seat

The **RD** i **SERIES** is engineered for reliability and durability, designed for people who rely on their equipment to just get the job done.

SMARTRAC PRO

The **SmarTrac™ Pro** control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.



DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.

▼ FLAT-FREE FRONT TIRES

Power through the harshest conditions and minimize downtime, even over rough terrain and sharp debris, with standard flat-free tires.



REAR DISCHARGE DECK

Our exclusive Rear Discharge Deck is .316" fabricated steel and fully adjustable front baffles for a professionalgrade cut every time. Available in 61" width.

TORQFLEX™ SUSPENSION

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatique.

Recessed and adjustable.

QUICK SCAN O LEARN MORE

POWER
TO SPARE ▶

Featuring a

hp EFI engine.

Kawasaki FX 29.5



ALTOZ.COM



Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.





◆ PRECISE HANDLING

Commercial-grade Hydro-Gear® 3200 transmissions ensure smooth, reliable and responsive operation.

XR SERIES

The **XR Series** is the perfect mower for discerning homeowners who take as much pride in their equipment as they do in their lawn.

BUILT TO COMMERCIAL STANDARDS

to lessen terrain

smoother ride.

impact and provide a

With its laser-cut steel chassis, fabricated cutting deck and heat dissipating deck spindles, the XR is built to perform.

INCREASED VISIBILITY

Low-profile front frame viewport allows for improved operator sight.





XE SS and XR SS models feature a double arm adjustable coil spring over gas shock front suspension. Available as an accessory on other XE and XR models.




48", 54" or 61" signature deep-deck design with adjustable baffles creates optimal vacuum for maximum grass lift, resulting in an exceptional cut.

QUICK SCAN TO LEARN MORE



▼ TRX DECK WING EXTENSION

Perfect for under fence lines, shore lines, ditch banks, water retention ponds, solar fields and anywhere you need to get under or over. Ditch the string trimmers and reduce man hours, gain 25% more coverage than a 66" deck.







OPERATOR-CONTROLLED DISCHARGE cover allows you to open and close the outlet quickly while mowing.



TRX COUNTER ROTATION **RIGHT DECK SPINDLE**

Accessory provides more even grass dispersement.



LAWN STRIPING KIT

Stripe or create more complex patterns in the lawns you mow. Includes flexible rubber striper and all mounting hardware.



VERTICAL SERRATED

reducing clogs and backups.



HITCH KITS

Our standard hitch features a 5/8" opening for drop pin (available for all models). Our super-strong receiver hitch features standard 1-1/4" × 1-1/4" trailer hitch receiver.

OPERATOR ASSIST HANDLE KITS

Designed with your comfort and security in mind, this accessory

> offers a stable and reliable grab bar for easy mounting and dismounting.

COLLECTION SYSTEM WITH DUMP BOX

Large-capacity collection system is an effective and efficient way to collect grass clippings and leaves. The dump box hopper holds up to 12 cubic feet and allows the operator to release contents right from the mower seat.



VISIT **ALTOZ.COM** FOR THE COMPLETE LINE OF ACCESSORIES

MODEL SPECS



TSX SERIES













All specifications and features are subject to change, see dealer for details. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. *See dealer for warranty details. For additional information, go to Altoz.com
**VIS = Vibration Isolation System; EIS = Engine Isolation

System

	ZERO TURN MOWERS									
	XR SERIES			X	E SERIE	ES	XP HD SER			
Model	XR 480	XR 540	XR 540 SS	XE 540	XE 610	XE 610 SS	XP 540 HD	XP 610 HDi	XP 610 RDi	
Engine	Kawasaki FR	Kawasaki FR	Kawasaki FR	Kawasaki FS	Kawasaki FS	Kawasaki FS	Kawasaki FX	Kawasaki FX EFI	Kawasaki FX EFI	
HP	23	23	23	24	24	24	27	29.5	29.5	
Displacement	726 сс	726 сс	726 сс	726 сс	726 сс	726 cc	852 cc	852 сс	852 сс	
Deck Width	48"	54"	54"	54"	61"	61"	54"	61"	61"	
Weight	800 lbs	820 lbs	830 lbs	930 lbs	960 lbs	970 lbs	1330 lbs	1360 lbs	1410 lbs	
Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	
Fuel Capacity	5 gallons	5 gallons	5 gallons	10 gallons	10 gallons	10 gallons	14 gallons	14 gallons	14 gallons	
Rear Tire/Track Size	20"	20"	20"	22"	22"	22"	24"	24"	24"	
Front Tire	-	-	_	-	-	-	-	-	Flat Free	
Speed	8 mph	8 mph	8 mph	9 mph	9 mph	9 mph	11 mph	11 mph	11 mph	
Instruments	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	
Suspension	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	_	_	TorqFlex Suspension (Standard)	
Seat	Mid-b	back adjustable	: seat		back adjustable with arm rests		Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	
Deck Lift		Manual			Manual		Manual			
Warranty*	2-Year U 3-	nr Unlimited Eng Jnlimited Trans -Year/400 Hour r No Hour Limit	smission rs	2-Year U 3-	ar Unlimited En Jnlimited Trans -Year/600 Hou r No Hour Limit	smission ırs	3-Year Unlimited En 2-Year Unlimited Trans 3-Years/1500 Hol First 2-Years No Hour L			
Other**	_	_	_	_	_	_	_	_		

					TRACKED	ZERO TURN	N MOWERS	TRACKED STAND-ON MOWERS		COMPACT TOOL CARRIER	
IES		XC SERIES		TRX SERIES					TSX SERIES		SWITCH
XP 660 HD	XP 720 HD	XC 610 Z	XC 720 Z	TRX 354 Finish Cut	TRX 561 i Finish Cut	TRX 561 i All-Terrain	TRX 766 i Finish Cut	TRX 766 i All-Terrain	TSX 561 i All-Terrain	TSX 561 i Finish Cut	SWITCH
Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FT	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EVO
35	35	35	35	24	29.5	29.5	38.5	38.5	29.5	29.5	34.5
999 сс	999 сс	999 сс	999 сс	726 сс	852 сс	852 сс	999 сс	999 сс	852 сс	852 сс	822 cc
66"	72"	61"	72"	54"	61"	61"	66"	66"	61"	61"	n/a
1400 lbs	1415 lbs	1400 lbs	1500 lbs	1220 lbs	1540 lbs	1600 lbs	1780 lbs	1800 lbs	1450 lbs	1450 lbs	1474 lbs
Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear Pumps/ Parker Motors
14 gallons	14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons	7 gallons
24"	24"	26"	26"	11"×68"	11"×72"	11"×72"	11" x 81"* 10"× 81"**	11" x 81"* 10"× 81"**	11"×72"	11"×72"	9" x 110"
-	-	-	-	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	n/a
11 mph	11 mph	19 mph	19 mph	8 mph	9 mph	9 mph	11 mph	11 mph	up to 10 mph	up to 10 mph	up to 7 mph
SmarTrac Pro	SmarTrac Pro	SmarTrac	SmarTrac	Hour Meter	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer	Hour Meter/ Tachometer	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer
_	_	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Torsion Suspension (Standard)
Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Operator Support Cushion		Operator Support Cushion
Power				Manual		Manual		Power Attachment Lift			
gine* mission urs imitation		3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Years/1500 Hours First 2-Years No Hour Limitation		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer					3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer
_	_	VIS / EIS**	VIS / EIS**	_	-		_	_	Adjustable Platform		Adjustable Platform/ Lights

*TRX 766 i w/All-Terrain Tracks **TRX 766 i w/TerraFlex Tracks

