COMPACT TOOL CARRIER AND ATTACHMENTS



OUTDOOR POWER EQUIPMENT

19-9-9-2-2-2

DROP, SWAP & GO

Whatever the task, Altoz Switch attachments connect quickly and easily.

SNOW The Altoz snow blower attachment is perfect for quickly and efficiently removing snow from sidewalks, driveways, roadways and anywhere else you need to clear, no matter how tough the snow conditions may be.

> The 48" angle broom is great for cleaning away dirt, snow or other debris. The easy-to-use angle adjustment feature lets you direct the material away for a clean surface.

With an Altoz mower attachment, clear trails, ditches and more, or get the precision cut you demand. Get into tighter areas that were previously inaccessible with larger, more cumbersome machines. Three deck types are available: 44" and 54" brush decks, 61" all-terrain deck, 66" finish deck.



SWEEP

MOW

The Altoz 50" 7-way V-Blade and 50" Straight Blade feature responsive hydraulic controls that are easily adjusted from the operator station. Both blades offer incredible versatility, making easy work of snow removal and landscaping.



11111

SWITCH IT UP Multi-functional, multi-seasonal, all-terrain.

MULTI-TASKING

Maximize productivity and efficiency with a versatile line of attachments.

HANDLING

Hydrostatic transmissions responsive handling.

TRACKS

9" wide tracks

ADJUSTABLE AXLE WIDTH

42" (can be extended to 52")

ENGINE 29.5 hp Kawasaki® FX 852cc EFI

TOT

ALTOZ

THE ALL-NEW ALTOZ SWITCH

The Altoz Switch delivers the stability and mobility that only tracks can provide. Paired with the versatility and functionality of a broad range of easily interchangeable attachments, the Switch is engineered for multiple tasks and terrain in any season. Designed for landscape and snow removal professionals, city utility departments and government entities, the Switch's compact chassis and the ability to operate in restrictive spaces make efficient work of a multitude of tasks.



2023 ALTOZ SWITCH SPECIFICATIONS

Engine		Attachments		
Engine	Kawasaki [®] FX EFI	Snow Blower	44", 54"	
Horsepower	29.5 hp	Angle Broom	48" Straight (44" Angled)	
Displacement	852 cc	V-Blade	50" Straight Blade* (44" V-position)	
Cylinders	2	Straight Blade	50" Straight Blade* (44" Angled)	
Air Filter	Multi-Stage Canister	Mowing Decks	44" Brush Deck (2 spindle) 54" Brush Deck(3 spindle) 61" All-Terrain Deck(3 spindle) 66" Finish Deck (3 spindle)	
Fuel	Gasoline	Brine System	44"-54" Coverage (20-gallon)	
Fuel Capacity	9 gallons	Warranty		
Fuel Tank	RH Side, Single	Homeowner/ Commercial	3 Year Unlimited Engine 2 Year Unlimited Transmission 1 Year Manufacturer	
Drive Line		Rental	n/a	
Transmission Type	Hydrostatic	Additional Features		Accessories
Transmission	Pump & Sprocket Motor	Torsion Suspension Fully Adjustable Coil Springs Over Gas Shock Rider Platform		*10" Blade Extension Rear Light
Max Forward Speed	6 mph			Wind Screen
Track Size	9" Wide Track	Ergonomic Steering Control		Beacon Light
Track Size Dimension/Weight	· ·	Ergonomic Steering Contro w/Attachment Control Electric Dial Throttle		
	· ·	w/Attachment Controls Electric Dial Throttle Front Lights		Beacon Light
Dimension/Weight	9" Wide Track	w/Attachment Control Electric Dial Throttle		Beacon Light
Dimension/Weight Length	9" Wide Track	w/Attachment Controls Electric Dial Throttle Front Lights Oil Cooler w/Electric Fan		Beacon Light
Dimension/Weight Length Width	9" Wide Track 55" 42" (can extend to 52")	w/Attachment Controls Electric Dial Throttle Front Lights Oil Cooler w/Electric Fan Soft Start PTO Drive	5	Beacon Light

1-855-782-5869 / Altoz.com

Altoz, Inc., 20502 160th Street, Greenbush, MN 56726

MADE IN THE

©2022 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz and the Altoz logo are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.