

SWITCH

COMPACT TOOL CARRIER AND ATTACHMENTS



ALTOZ[®]
ALWAYS AHEAD[®]

OUTDOOR POWER EQUIPMENT

ALTOZ.COM

p/n 9001092 - Rev. A

DROP SWAP & GO

Altoz Switch attachments connect quickly and easily for multi-functional, year-round use. One Switch and you're ready for anything.

GRASS

DEBRIS

SNOW

ICE

& MORE



SWITCH IT UP

The Altoz Switch delivers the traction and mobility of tracks and pairs it with the versatility and functionality of a broad range of interchangeable attachments. The Switch is fully capable of handling multiple tasks and terrain in any season. Engineered for landscapers, snow removal professionals and municipalities, the Switch's compact chassis makes efficient work of a multitude of tasks.

A worker wearing a blue cap, sunglasses, and a high-visibility yellow vest is operating the Altoz Switch. The machine is equipped with a large black brush attachment and is parked on a gravel path next to a green building. The sky is a mix of blue and orange, suggesting a sunset or sunrise. The Altoz logo is visible on the machine's side and front.

**THE ALL-NEW
ALTOZ SWITCH**

SNOW BLOWER

Quickly and efficiently clear snow from sidewalks, driveways or anywhere there's snow.



SPECIFICATIONS

44" width

2-stage, belt driven

Hydraulically-adjustable chute rotation and electrically-adjustable chute angle.

Raise, lower and float positions controlled by proportional switch

QUICK SCAN
TO LEARN MORE



ALL-WEATHER CAB

Stay dry, comfortable and protected from the elements, even in the toughest conditions.



POWER ANGLE BROOM

Ideal for year-round debris removal from sidewalks and recreational areas.



QUICK SCAN
TO LEARN MORE



SPECIFICATIONS

48" straight, 44" angled broom width

Belt-driven hydraulic pump to allow for rotational speed control and reversing rotation of broom

Angle left, right or straight positions controlled by proportional switch

Hydraulic lift arm controlled by proportional switch allows broom to float and follow ground contour or apply down pressure

High-performance drive motor by Eaton

Unique high quality wear-resistant polyester wafer bristle design for efficient sweeping

Adjustable caster wheels

V-PLOW

Move snow and light aggregate quickly and efficiently.



SPECIFICATIONS

50" blade width (44" width in angled and V-position)

Angle left, right, straight, scoop or V-position with easy hydraulic adjustment

Adjustable depth guides to modify blade height

Hydraulic lift arm controlled by proportional switch allows blade to float and follow ground contour or apply down pressure for scraping

Cutting edge features adjustable trip tension

Replaceable hardened steel wear edge and shoe assembly

Optional 5" sidewing extension kit increases blade width to 60"

Optional accessories



QUICK SCAN
TO LEARN MORE



SNOW FLAP KIT

Deflects material to prevent it from going over the top of the moldboard while plowing. Snow Flap consists of 3 Ply Rubber, .20 inches thick. Kit includes two rubber flaps and mounting hardware.



10" EXTENSION KITS

Each 5" extension bolts easily to the outer edge of the blade. Includes 5" non-marring cutting edges and 5" snow flaps to install if an optional snow flap kit has been installed.



NON-MARRING CUTTING EDGES

For clearing material without marring surfaces, these hardened rubber cutting edges are rigid enough to move material but forgiving enough to not damage surfaces.

STRAIGHT BLADE

Handle snowbound walkways and light aggregate in narrow areas with ease.



SPECIFICATIONS

50" blade width (44" width angled)

Angled left, right or straight with easy hydraulic adjustment

Adjustable depth guides to modify blade height

Hydraulic lift arm, controlled by proportional switch, allows blade to float and follow ground contour or to apply down pressure for scraping

Cutting edge features adjustable trip tension

Replaceable hardened steel wear edge and shoe assembly

Optional 5" sidewing extension kit increases blade width up to 60"

Optional accessories




QUICK SCAN
TO LEARN MORE



SNOW FLAP KIT

Deflects material to prevent it from going over the top of the moldboard while plowing. Snow Flap consists of 3 Ply Rubber, .20 inches thick. Kit includes rubber flap and mounting hardware.



10" EXTENSION KITS

Each 5" extension bolts easily to the outer edge of the blade. Includes 5" non-marring cutting edges and 5" snow flaps to install if an optional snow flap kit has been installed.



NON-MARRING CUTTING EDGES

For clearing material without marring surfaces, these hardened rubber cutting edges are rigid enough to move material but forgiving enough to not damage surfaces.

SPRAY TANK KIT

Engineered for durability and user-friendliness, that seamlessly integrates with your Switch.



Shown with 4' Wide Spray Pattern Brine Boom with Hypro nozzles & Rear Attachment Mount Kit

SPECIFICATIONS

25-gallon tank with sump

Remote on-off control

Adjustable boom height

4 gpm pump

Includes tank, pump, regulator, wire harness, tank mount and hand wand kit

Choose 4' wide spray pattern brine boom, 8' wide spray pattern chemical boom, or both

Hypro multi-stream nozzles



4' Wide Spray Brine Boom



8' Wide Spray Chemical Boom

BOOM KITS

Altoz Boom Kits are engineered to work seamless with the Altoz Spray Tank. Opt for the **4' Wide Spray Brine Boom**, tailored specifically for precise brine and deicing applications, ideal for navigating tighter spaces with ease. Or choose the expansive **8' Wide Spray Chemical Boom**, perfect for dispersing chemical applications like pesticides, herbicides or liquid fertilizers across larger areas with maximum efficiency. Better yet, choose both! From deicing walkways to applying chemicals in agricultural settings, these boom kits are your ultimate solution.

DROP SPREADER

Make quick work of sidewalks and pathways, with precise coverage drop from 30" to 36" spread width.



SPECIFICATIONS

Stainless-steel construction

Drop Spreader coverage from 30-inch to 36-inch width

2.5 cu ft, 350-lb capacity

Variable-speed drop control

Pair with the Snow Blower, V-Plow, Straight Blade Plow or Power Angle Broom to complete two tasks at once

QUICK SCAN
TO LEARN MORE



REAR ATTACHMENT MOUNT KIT

Engineered for easy installation, the Rear Attachment Mount Kit seamlessly integrates with your Switch, providing a sturdy platform for mounting various attachments. From drop spreaders to sprayer kits, and beyond, the Rear Attachment Mount Kit is designed to accommodate a wide range of attachments and accessories, ensuring that your Switch remains adaptable to evolving landscaping and maintenance needs.

MATERIAL BUCKET

Quick and easy attachment with a compact design that maximizes maneuverability and productivity.



SPECIFICATIONS

44" width; maneuvers in narrow spaces

9-1/2" ground clearance in raised position

4-cubic foot capacity

Heavy-duty hardened steel cutting edge, cylinder guard and pivot point grease zerks

Versatile material handling

Hydraulically-controlled lift and tilt

Hydraulic lift arm controlled by proportional switch allows bucket to float and follow ground contour or apply down pressure for scraping

MATERIAL PUSHER

Rotate to pull material away from buildings or obstacles; rotate again to push material.



SPECIFICATIONS

44" width; maneuvers in narrow spaces

Rotates 90-degrees to change from pulling to pushing material

Adjustable shoes

Dual cutting edges

Quick and easy attachment

Hydraulically-controlled lift and tilt

Hydraulic lift arm controlled by proportional switch allows material pusher to float and follow ground contour or apply down pressure for scraping

61" ALL-TERRAIN DECK

Power through rough terrain, tackle slopes, traverse roadsides and reclaim overgrown areas.



SPECIFICATIONS

61" cutting width (3-spindle design)

Six swing blades forged and heat-treated for durability

7-gauge laminated steel deck

Proportional switch controls hydraulic deck height and angle adjustment with float position to follow ground contour

Flat-free caster tires provide ability to follow contour of the ground

Rear discharge



QUICK SCAN
TO LEARN MORE

44" ALL-TERRAIN DECK

Brush clearing made easy. Clear trails, ditches, and reclaim overgrown areas.

SPECIFICATIONS

44" cutting width; 2-spindle counter rotating design

Hydraulic height and angle adjustments controlled by proportional switches

Four swing blades absorb impact when contacting solid objects

7-gauge laminated steel deck for long-lasting durability

Flat-free front single caster wheel

QUICK SCAN
TO LEARN MORE



SWITCH IT UP FOR EVERY SEASON

| Switch Attachments | Winter | Spring | Summer | Fall |
|--|--------|--------|--------|------|
| SNOW BLOWER  | ▲ | | | |
| V-PLOW  | ▲ | ▲ | ▲ | ▲ |
| STRAIGHT BLADE  | ▲ | ▲ | ▲ | ▲ |
| POWER ANGLE BROOM  | ▲ | ▲ | ▲ | ▲ |
| DROP SPREADER  | ▲ | ▲ | | ▲ |
| MATERIAL BUCKET  | ▲ | ▲ | ▲ | ▲ |
| SPRAY TANK KIT  | ▲ | ▲ | ▲ | ▲ |
| MATERIAL PUSHER  | ▲ | ▲ | ▲ | ▲ |
| 44" ALL-TERRAIN DECK  | | ▲ | ▲ | ▲ |
| 61" ALL-TERRAIN DECK  | | ▲ | ▲ | ▲ |

2024 ALTOZ SWITCH SPECIFICATIONS

| Engine | |
|---|---|
| Engine | Kawasaki® FX822V EVO EFI |
| Horsepower | 34.5 hp |
| Displacement | 822 cc |
| Cylinders | 2 |
| Air Filter | Multi-Stage Canister |
| Fuel | Gasoline |
| Fuel Capacity | 7 gallons |
| Fuel Tank | RH Side, Single |
| Drive Line | |
| Transmission Type | Hydrostatic |
| Transmission | Pump & Sprocket Motor |
| Max Forward Speed | 7 mph |
| Track Size | 9" Wide Track |
| Dimension/Weight | |
| Length | 55" |
| Width | Adjustable 42"-52" |
| Height | 52" |
| Weight | 1474 lbs |
| Warranty | |
| Switch Compact Tool Carrier <i>Homeowner/ Commercial</i> | 3-Year Unlimited Engine 2-Year Unlimited Transmission 1-Year Manufacturer |
| Attachments <i>Homeowner/ Commercial</i> | 1-Year Manufacturer |

| Additional Features | |
|--|--|
| Torsion Suspension Fully Adjustable Coil Springs Over Gas Shock Rider Platform Ergonomic Steering Controls w/ Attachment Controls Oil Cooler w/ Electric Fan Hydraulic Accessory Circuit Hinged, Swing-Away Engine Service Area Hinged, Swing-Away Fuel Tank | Electric Dial Throttle Soft Start PTO |
| Accessories | |
| Strobe Lights Hand Warmers Trailer Hitch All Weather Cab | |
| Attachments | |
| Snow Blower | 44" |
| Power Angle Broom | 48" Straight, 44" Angled |
| V-Plow | 44" V-position, 44" Angled 50" Straight (5" Sidewing Kit Option*) |
| Straight Blade | 50" Straight, 44" Angled (5" Sidewing Kit Option*) |
| Mowing Decks | 44" All-Terrain (2-spindle) 61" All-Terrain (3-spindle) |
| Drop Spreader | 30" to 36" drop width 2.5 cu ft capacity |
| Material Bucket | 44" |
| Material Pusher | 44" |
| Spray Tank Kit | 25-gallon Tank 4' Spray Brine Boom 8' Spray Chemical Boom |

Specifications and features subject to change.

©2024 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz and the Altoz logo are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

p/n 9001092 • May 2024 • Rev. A

SWITCH

COMPACT TOOL CARRIER AND ATTACHMENTS



OUTDOOR POWER EQUIPMENT
ALTOZ.COM

ALTOZ[®]
ALWAYS AHEAD[®]