ALWAYS AHEAD

COMMERCIAL & MUNICIPAL GROUNDSKEEPING EQUIPMENT

LTOZ

R

YOU'RE BURNING DAYLIGHT. GET MORE OUT OF YOUR MOWER.

Altoz makes the mowers that help you make the most of your work day. We literally reinvented how you mow and in doing so, changed mowers forever. Our award-winning tracked machines handle slopes, wet turf and uneven terrain like nothing you've ever seen. When you're on an Altoz, you'll do more, go further.

See what's possible when you get on an Altoz.

INCREASED ROI SAFER, FASTER JOB COMPLETION MORE VERSATILE & MORE CAPABLE





DO MORE. GO FURTHER."

STABILITY

Unmatched slope mowing capabilities

TRACTION Maximum traction on wet ground **SAFETY** Mow safely where others can't go

PAYBACK Expand mowable reach for a better, increased ROI



TRACKED MOWERS





TALL GRASS & UNRULY TERRAIN

Reclaim property and tame even the harshest terrain



SLOPES Mow slopes safely with high traction and stability



WET AREAS

Low ground pressure and high traction for mowing around water features, ditches and low areas.

THE GAME HAS CHANGED.

O O P

RIVER BANKS, DITCHES AND WET AREAS ARE NOT ONLY REACHABLE—THEY'RE MOWABLE.

ALTOZ

TRX > SERIES

The **TRX SERIES** offers the ultimate workhorse for the toughest, most challenging terrain and environments.

TRX 766 i

TRX 766 i Finish Cut TRX 766 i All-Terrain



Combined with our suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.

FOLDABLE PROTECTION SYSTEM

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

TRX 561 i

TRX 561 i Aero Deck™ Finish Cut

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, soft ground and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

TRX 354

TRX 354 Aero Deck[™] Finish Cut

REAR TORSION AXLE SUSPENSION

Allows the track to follow the contour of the ground for better traction, stability and ride.

Shown with All-terrain Deck and All-terrain Tracks

00000000000000

QUICK SCAN For a full description of TRX model features and options visit Altoz.com/tracked-zero-turn-mowers/trx





FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .315-inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.

FLAT-FREE FRONT TIRES

Power through the harshest conditions and minimize downtime, even over rough terrain and sharp debris, with standard flat-free tires.

ALTOZ

TORQFLEX[™]

The TRX's TorqFlex™ front suspension and rear axle torsion suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.

HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.



SMARTRAC PRO CONTROL

The **SmarTrac[™] Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt lift, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



Multifunction LCD screen for engine hours and service alerts —— Solid-State PTO Switch

LED

LED

TSX 561 i Finish Cut or All-Terrain

The **TSX 561 i** secures difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched steep terrain mowing of an Altoz track system.

REAR TORSION AXLE SUSPENSION

Allows the track to follow the contour of the ground for better traction, stability and ride. The rider platform is suspended, featuring a gas shock with adjustable coil spring.

RESPONSIVE, SMOOTH TRANSMISSION

High-performance commercial Hydro-Gear® PR 16cc pumps and Parker® TF 195cc wheel motors deliver quick response to the rear Altoz track system and smooth control for cutting speeds up to 10 mph.

Patented track system



Power through the harshest conditions and rough terrain with the rear-mounted torsion axle suspension and bridging capabilities of the track system.

TRACK BENEFITS

The TSX's tough tracks bridge over uneven terrain and provide a smooth, comfortable ride on rough ground.



WET AREAS More control for mowing around water features, ditches and low areas.

SLOPES Mow slop high tro comp

POWERFUL ENGINE 29.5 hp Kawasaki FX 852cc engine with integrated electronic throttle control powers through tough mowing conditions. EFI fuel management adjusts power to load, keeping blade tip speed constant and ground speed steady.

> Mow slopes safely with high traction and minimal compaction.

ALTOZ

Shown with All-terrain Deck.

SMARTRAC PRO CONTROL

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt lift, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.

EXCLUSIVE DECK OPTIONS

Equipped with Altoz's exclusive 61" HV All-terrain Deck for rough cutting or 61" Aero Deck cutting system with adjustable baffles for a professional finish cut.





HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is offset and constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heattreated for exceptional, long-lasting sharpness.



FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .315inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.

FLAT-FREE FRONT TIRES

Power through the harshest conditions and minimize downtime, even over rough terrain and sharp debris, with standard flat-free tires.

The TorqFlex[™] front suspension and rear torsion axle suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, mud and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.



and the second second

TALL GRASS & UNRULY TERRAIN Reclaim your property and tame even the harshest terrain.



See our full line of TSX models

RACKED MOWERS

XC Z SERIES

The powerful, high-performing **XC Z Series** delivers a premium cut you can be proud of.

XC Z

XC 610 Z XC 720 Z

BUILT FOR SPEED

With dual-range Hydro-Gear 5400 high/low transmissions and a top transport speed of 19 mph, the Altoz XC series can get the job done...fast.

XPHD

RIDER COMFORT

12-way adjustable high-back suspension seat with arm rests and TorqFlex suspension work together to deliver the industry's smoothest ride.



POWER DECK LIFT

Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.

SPEEDS UP TO 19 MPH 14-GALLON FUEL CAPACITY ALL-DAY OPERATOR COMFORT

FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .315-inch fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.

HEAVY-DUTY CHASSIS

ALTOZ

Our C-channel frame is laser-cut and welded from heavy gauge steel for maximum strength and rigidity.

VIBRATION ELIMINATION

4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates seat and foot wells protect rider from ground vibrations.

XP HD SERIES

XP 540 HD / XP 610 HD / XP 610 HDi

The **SmarTrac[™] Pro** control features a solid-state PTO

LCD screen and 6 ultra-bright status LEDs.

switch, patented SoftStart clutch control that decreases

mechanical wear and significantly increases deck belt lift,

a keyless push-to-start ignition, a large multifunction

ALTOZ

XP 660 HD / XP 720 HD

The **XP HD Series** is engineered for reliability and a precise cut, designed for people who rely on their equipment to make a living, and delivers nothing less than perfection.

DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.

TWIN FUEL TANKS 14-gallon capacity for extended cutting times.

RIDER COMFORT

12-way adjustable high-back suspension seat with arm rests delivers the industry's most comfortable ride.

3 4

SMARTRAC PRO CONTROL

For a details on the Altoz wheeled mower options visit Altoz.com/zero-turn-mowers



ALTOZ

TSX 561 i All-terrain

29.5 hp Kawasaki FX EFI

61″

FULL MODEL SPECIFICATIONS—BUILT TO SUIT FOUR NEEDS												
Model	XP 540 HD	XP 610 HD	XP 610 HDi	XP 660 HD	XP 720 HD	XC 610 Z	XC 720 Z	TRX 354 Finish Cut	TRX 561 i Finish Cut	TRX 766 i Finish Cut	TRX 766 i All-terrain	TSX 561 i Finish Cut
Engine	27 hp Kawasaki FX	27 hp Kawasaki FX	29.5 hp Kawasaki FX EFI	35 hp Kawasaki FX	35 hp Kawasaki FX	35 hp Kawasaki FX	35 hp Kawasaki EFI	24 hp Kawasaki FT	29.5 hp Kawasaki FX EFI	38.5 hp Kawasaki FX EFI	38.5 hp Kawasaki FX EFI	29.5 hp Kawasaki FX EFI
Deck Width	54″	61″	61″	66″	72″	61″	72″	54″	61″	66″	66″	61″
Transmission	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400	Hydro-Gear	Hydro-Gear	Hydro-Gear ZT-5400	Hydro-Gear ZT-5400	Parker TF 195cc Wheel Motors/

ATIONS

- 1 1 1

610

Transmission	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Parker TF 195cc Wheel Motors/ Hydro-Gear PR 16cc Pumps	Parker TF 195cc Wheel Motors/ Hydro-Gear PR 16cc Pumps
Rear Tire/Track Size	24″	24″	24″	24″	24″	26″	26″	11″×68″	11″×72″	11″×81″	11″×81″	11″×72″	11″×72″
Max. Speed	11 mph	19 mph	19 mph	8 mph	9 mph	11 mph	11 mph	Up to 10 mph	Up to 10 mph				
Front Suspension	_	_	_	_	_	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)
Rear Suspension	_	_	_	_	_	_	-	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle	Torsion Axle
Weight	1330 lbs	1360 lbs	1360 lbs	1400 lbs	1415 lbs	1400 lbs	1500 lbs	1200 lbs	1540 lbs	1600 lbs	1600 lbs	1450 lbs	1450 lbs
Fuel Capacity	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons					

See the full lineup of available accessories at Altoz.com/accessories



SPREADER / UTILITY PLOW

dillillillip.





ADD FUNCTIONALITY AND INCREASE PRODUCTIVITY WITH ALTOZ ACCESSORIES.

DO MORE. GO FURTHER.

Altoz tracked mowers continue to received critical acclaim from experts in the industry.



Your Local Altoz Dealer

©2022-2023 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, Aero Deck and SmarTrac Pro are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.



