

SWITCH

COMPACT TOOL CARRIER AND ATTACHMENTS



ALTOZ®
ALWAYS AHEAD®

OUTDOOR POWER EQUIPMENT

DROP, SWAP & GO

Whatever the task, Altoz Switch attachments connect quickly and easily.




SNOW

The 44" Altoz snow blower attachment is perfect for quickly and efficiently removing snow from sidewalks, driveways, roadways and anywhere else you need to clear, no matter how tough the snow conditions may be.



SWEEP

The 48" angle broom (44" wide when angled) is great for cleaning away dirt, snow or other debris. The easy-to-use angle adjustment feature lets you direct the material away for a clean surface.



MOW

Three deck types are available: 44" brush deck, 61" all-terrain deck or 66" finish deck. With the Altoz brush or all-terrain deck, clear trails, ditches and more. With the finish deck, get the precision cut you demand. Get into tighter areas that were previously inaccessible with larger, more cumbersome machines.



PLOW

The Altoz 50" 7-way V-Blade and 50" Straight Blade feature responsive hydraulic controls that are easily adjusted from the operator station. Both blades offer incredible versatility, making easy work of snow removal and landscaping. The spring-loaded trip design protects from damage due to impact.



SWITCH IT UP

Multi-functional, multi-seasonal,
all-terrain.

MULTI-TASKING

Maximize productivity and efficiency with a versatile line of attachments.

HANDLING

Hydrostatic transmissions provide responsive control.

TRACKS

9" wide tracks

ADJUSTABLE AXLE WIDTH


41.5" (can be extended to 51.5")

ENGINE


34.5 hp Kawasaki® EVO 822cc EFI

THE ALL-NEW ALTOZ SWITCH

With its low center of gravity, the Altoz Switch delivers the stability, traction and mobility that only tracks can provide. Paired with the versatility and functionality of a broad range of easily interchangeable attachments, the Switch is engineered for multiple tasks and terrain in any season. Designed for landscape and snow removal professionals, city utility departments and government entities, the Switch's compact chassis and the ability to operate in restrictive spaces make efficient work of a multitude of tasks.



TRACKS



WHEELS



QUICK SCAN
TO LEARN MORE



ALTOZ®
ALWAYS AHEAD®

ALTOZ SWITCH SPECIFICATIONS

| Engine | | Attachments | |
|-------------------|--------------------------------|---|---|
| Engine | Kawasaki® FX 820V EVO | Snow Blower | 44" |
| Horsepower | 34.5 hp | Angle Broom | 48" Straight (44" Angled) |
| Displacement | 822 cc | V-Blade | 50" Straight* (44" V-position) |
| Cylinders | 2 | Straight Blade | 50" Straight* (44" Angled) |
| Air Filter | Multi-Stage Canister | Mowing Decks | 44" Brush Deck (2 spindle) 61" All-Terrain Deck (3 spindle) 66" Finish Deck (3 spindle) |
| Fuel | Gasoline | | |
| Fuel Capacity | 9 gallons | | |
| Drive Line | | Brine System | 44"-54" Coverage (20-gallon), Adjustable |
| Transmission Type | Hydrostatic | Warranty | |
| Transmission | Pump & Sprocket Motor | Homeowner/ Commercial | 3 Year Unlimited Engine 2 Year Unlimited Transmission 1 Year Manufacturer |
| Max Forward Speed | 6 mph | Rental | n/a |
| Track Size | 9" Wide | | |
| Dimension/Weight | | Additional Features | Accessories |
| Length | 55" | Torsion Suspension Fully Adjustable Coil Spring Over Gas Shock Rider Platform Ergonomic Steering Controls w/Attachment Controls Electric Dial Throttle Front Lights Oil Cooler w/Electric Fan Soft Start PTO Drive (Solid State) Keyless Push-to-Start (Solid State) SmarTrac™ Pro Display (Solid State) Hydraulic Accessory Circuit Hinged Swing-away Fuel Tank Hinged Swing-away Storage | *10" Blade Extension (5" each side) Rear Light Wind Screen Beacon Light |
| Width | 41.5" (can extend to 51.5") | | |
| Height | 52.5" | | |
| Weight | 1350 lbs | | |
| | | | |
| | | | More to come |

Specifications and features subject to change.

Specifications and features subject to change.

1-855-782-5869 / Altoz.com

Altoz, Inc., 20502 160th Street, Greenbush, MN 56726



MADE IN THE
USA

©2023 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz and the Altoz logo are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

p/n 9000983 • Rev. A